



**JONESCO**

# YOUR FIRST CALL FOR **FIRE SAFETY**

Engineered in Britain. Trusted worldwide



[jonesco-plastics.com](http://jonesco-plastics.com)



## **ENGINEERED IN BRITAIN. TRUSTED WORLDWIDE.**

For over 50 years we have never settled for “good enough”. Our history is moulded by a dedication to safety and a commitment to developing the toughest fire safety products.

We design solutions that solve specific safety challenges and help customers satisfy strict regulatory obligations. Keeping people safe, well and protected is what drives us to continually innovate.

Our development cycle begins by listening to customers and reviewing the latest safety regulations; from there we design, develop, prototype, test and test again. We don't stop until a solution is tough, compliant and proven.

**WE KNOW BETTER THAN ANYONE HOW DECADES OF COMMITMENT AND RESILIENCE PROVE OUR DEDICATION TO PUTTING EXPERIENCE, KNOWLEDGE, AND EXPERTISE INTO EVERYTHING WE DO.**





# THE 70

6 KG FIRE EXTINGUISHER BOX



## KEY FEATURES


- » For a single 6 kg / 6 l water, powder or foam fire extinguisher
- » Suitable for mounting on buildings or vehicles
- » UTAC tested and approved for side-guard use, **E2 73 R - 0117228**
- » Durable roto-moulded UV-stabilised polyethylene design
- » Two UV blocking polycarbonate windows for easy inspection
- » Two toggle latches with split pins guarantee secure door closure, break-glass option also available
- » Ladderlock buckle with webbing strap secures the extinguisher inside
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress, **IP rated**
- » Supplied with labels



<b>Part number:</b>	<b>JBWE70</b>
<b>Dimensions (H x W x D):</b>	700 x 320 x 255 mm
<b>Internal dimensions (H x W x D):</b>	625 x 260 x 195 mm
<b>Weight:</b>	4 kg
<b>Extinguisher:</b>	6 kg / 6 l

# THE 68

6 KG FIRE EXTINGUISHER BOX





## KEY FEATURES

- » For a single 6 kg / 6 l water, powder or foam fire extinguisher
- » Two-part design with a removable lid for mounting in tight spaces
- » Durable roto-moulded UV-stabilised polyethylene design
- » Versatile mounting options and easy installation
- » Ladderlock buckle with webbing strap secures extinguisher
- » A single toggle latch and split pin guarantee secure lid closure
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Supplied with a fire extinguisher label

<b>Part number:</b>	<b>JBTE68</b>
<b>Dimensions (H x W x D):</b>	680 x 260 x 280 mm
<b>Internal dimensions (H x W x D):</b>	580 x 230 x 220 mm
<b>Weight:</b>	3.5 kg
<b>Extinguisher:</b>	6 kg / 6 l

# THE 83

9-12 KG FIRE EXTINGUISHER BOX



## KEY FEATURES

- » For a single 9-12 kg / 9-12 l water, powder or foam fire extinguisher
- » Suitable for mounting on buildings or vehicles
- » Durable roto-moulded UV-stabilised polyethylene design
- » Two UV-blocking polycarbonate windows for easy inspection
- » Versatile mounting options
- » Ladderlock buckle with webbing strap to secure extinguisher in place
- » Two toggle latches with split pins guarantee secure door closure, break-glass option also available
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Supplied with labels



<b>Part number:</b>	<b>JBXE83</b>
<b>Dimensions (H x W x D):</b>	830 x 330 x 265 mm
<b>Internal dimensions (H x W x D):</b>	750 x 270 x 200 mm
<b>Weight:</b>	5.5 kg
<b>Extinguisher:</b>	9-12 kg / 9-12 l



# THE 73

12 KG FIRE EXTINGUISHER BOX



## KEY FEATURES

- » For a single water, powder or foam fire extinguisher up to 12 kg / 12 l with horn or external cartridge
- » Suitable for mounting on buildings or vehicles
- » Durable roto-moulded UV-stabilised polyethylene design
- » Two UV-blocking polycarbonate windows for easy inspection
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Versatile mounting options and free-standing model with **KIT52**, which includes 4 rubber feet
- » Ladderlock buckle with webbing strap to secure extinguisher in place
- » Two toggle latches with split pins guarantee secure door closure, break-glass option also available
- » Suitable for both indoor and outdoor use
- » Supplied with fire label



**Part number:**

**JBDE73**

**Dimensions (H x W x D):**

730 x 435 x 290 mm

**Internal dimensions (H x W x D):**

625 x 350 x 215 mm

**Weight:**

6.5 kg

**Extinguisher:**

12 kg / 12 l



**RUBBER FEET:**

**KIT52**



# THE 72

DOUBLE FIRE EXTINGUISHER BOX



 Fire alarm call point



## KEY FEATURES

- » For two water, powder or foam fire extinguishers up to 12 kg / 12 l
- » Suitable for mounting on buildings or vehicles
- » Durable roto-moulded UV-stabilised polyethylene design
- » Ladderlock buckle with webbing strap to secure extinguishers
- » Two UV-blocking polycarbonate windows for easy inspection
- » Versatile mounting options and free-standing model with **KIT52**, which includes 4 rubber feet
- » Two toggle latches with split pins guarantee secure door closure, break-glass option also available
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Supplied with labels



**Part number:**

**JBDE72**

**Dimensions (H x W x D):**

720 x 585 x 270 mm

**Internal dimensions (H x W x D):**

650 x 530 x 200 mm

**Weight:**

8 kg

**Extinguishers:**

9-12 kg / 9-12 l



**RUBBER FEET:**

**KIT52**

# THE 85

DOUBLE FIRE EXTINGUISHER BOX



## KEY FEATURES

- » For two water, powder or foam fire extinguishers up to 12 kg / 12 l
- » Also ideal to store hose reels
- » Suitable for both indoor and outdoor use
- » Key-operated T-handle with rotating lock or break-glass-and-key
- » Durable roto-moulded UV-stabilised polyethylene design
- » Two UV-blocking polycarbonate windows for easy inspection
- » Versatile mounting options and free-standing model with **KIT52**, which includes 4 rubber feet
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Optional factory fitted alarm
- » Supplied with labels



**Part number:**

**JBDA85**

**Dimensions (H x W x D):**

850 x 565 x 375 mm

**Internal dimensions (H x W x D):**

775 x 490 x 280 mm

**Weight:**

12 kg

**Extinguishers:**

12 kg / 12 l



**RUBBER FEET:**

**KIT52**



# THE 90

DOUBLE MULTI-PURPOSE BOX



## KEY FEATURES

- » For two water, powder or foam fire extinguishers up to 12 kg / 12 l
- » Also ideal for hose reel storage
- » Suitable for indoor and outdoor use
- » Break-glass entry with key-operated lock, key stored under breakable polycarbonate tab
- » Durable roto-moulded UV-stabilised polyethylene design
- » Two UV-blocking polycarbonate windows for easy inspection
- » Versatile mounting options and free-standing model
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Optional factory fitted alarm
- » Supplied with labels



<b>Part number:</b>	<b>JBKE90</b>
<b>Dimensions (H x W x D):</b>	900 x 930 x 420 mm
<b>Internal dimensions (H x W x D):</b>	820 x 850 x 330 mm
<b>Weight:</b>	21 kg
<b>Extinguisher:</b>	12 kg / 12 l

# THE 95 & 95M

FIRE EXTINGUISHER BOX / MOBILE EV FIRE BLANKET BOX



## KEY FEATURES

- » For EV fire blankets or 5 kg CO<sub>2</sub> fire extinguisher with horn
- » Also suitable for extinguishers up to 195 mm Ø cylinder
- » Durable roto-moulded UV-stabilised polyethylene design
- » A UV-blocking polycarbonate window for easy inspection
- » Secure buckle and webbing strap
- » Two toggle latches with split pins guarantee secure door closure
- » Break-glass option also available for **JBWE90**
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Large 200 mm diameter solid rubber wheels for easy movement (**JBWE95M**)
- » Door opens to the left (**JBWE95M**)
- » The handle, axle, and wheels require self-assembly (**JBWE95M**)



<b>Part number:</b>	<u>JBWE90</u>	<u>JBWE95M</u>
<b>Dimensions (H x W x D):</b>	950 x 445 x 280 mm	1000 x 540 x 345 mm
<b>Internal dimensions (H x W x D):</b>	950 x 360 x 195 mm	915 x 360 x 195 mm
<b>Weight:</b>	9 kg	9.5 kg
<b>Extinguisher:</b>	5 kg CO <sub>2</sub>	5 kg CO <sub>2</sub>
<b>Max. extinguisher Ø :</b>	195 mm	195 mm

# THE 56

HOSE REEL BOX





## KEY FEATURES


- » Durable construction: manufactured from roto-moulded UV-stabilised polyethylene for long-lasting performance
- » Secure storage: designed to store a hose reel and nozzle, making it ideal for marine applications
- » Reliable protection: automotive-grade synthetic rubber seal protects against water and dust ingress
- » Secure fastening: quick-release buckle and web strap keep the hose securely in place
- » Flexible mounting: can be installed either way up, with hinges positioned to the left or right as needed
- » Clear identification: large area on the door allows for easy label placement
- » Strong and secure closure: two toggle latches with split pins provide a firm and reliable seal in demanding environments

<b>Part number:</b>	<b>HRE56</b>
<b>Dimensions (H x W x D):</b>	610 x 500 x 195 mm
<b>Internal dimensions (H x W x D):</b>	500 x 390 x 140 mm
<b>Weight:</b>	5 kg



# THE 100

OPEN BACK HOSE REEL BOX



## KEY FEATURES

- » Large capacity: the cabinet provides easy access to hinge-mounted hose reels up to 750 mm diameter
- » Pivoting design: L-shaped door allows the hose reel to pivot 140 degrees for convenient and effortless operation
- » Open back: features an 820 x 820 mm aperture, designed to fit over wall-mounted hose reels
- » Customisable fit: water inlet pipe aperture can be cut during installation for a tailored setup
- » Durable: UV-stabilised roto-moulded polyethylene for long-lasting protection in demanding environments
- » Flexible installation: can be mounted with hinges positioned to the left or right based on installation needs
- » Enhanced security: key-operated lock, key stored under a breakable polycarbonate tab for emergency access



<b>Part number:</b>	<b>HRE100</b>
<b>Dimensions (H x W x D):</b>	1000 x 1000 x 480 mm
<b>Internal dimensions (H x W x D):</b>	800 x 820 x 430 mm
<b>Weight:</b>	21.5 kg

# THE 64

6 KG FIRE EXTINGUISHER BOX



## KEY FEATURES

- » Designed to be mounted on commercial vehicles
- » For a single 6 kg water, powder or foam fire extinguisher
- » Single toggle latch with split pin guarantee secure lid closure
- » UTAC tested and approved for side-guard use, **E2 73 R - 0117229**
- » Type approved for vehicle fitment in accordance with **Regulation No. 73 (UN/ECE)**
- » Durable roto-moulded UV-stabilised polyethylene design
- » Versatile mounting options and mounting kits available, **KIT65**
- » Complete with internal strap to limit in transit movement
- » Fitted with an automotive-grade synthetic rubber seal for protection against water and dust ingress
- » Supplied with label



<b>Part number:</b>	<u>JBFR64</u>   <u>JBFB64</u>
<b>Dimensions (H x W x D):</b>	640 x 250 x 270 mm
<b>Max. extinguisher Ø:</b>	170 mm
<b>Max. extinguisher height:</b>	590 mm
<b>Weight:</b>	3 kg
<b>Extinguisher:</b>	6 kg / 6 l

# THE 65 & 75

6, 9-12 KG FIRE EXTINGUISHER BOXES



## KEY FEATURES

- » Designed to be mounted on vehicles and large machinery
- » For a 6 and 9-12 kg / l water, powder or foam fire extinguisher
- » Single toggle latch with split pin guarantee secure lid closure
- » UTAC tested and approved for side-guard use, **E2 73 R - 0117229**
- » Type approved for vehicle fitment in accordance with **Regulation No. 73 (UN/ECE)**
- » Durable roto-moulded UV-stabilised polyethylene design
- » Versatile mounting options and mounting kits available, **KIT55** and **KIT56**
- » Complete with internal strap to limit movement in transit
- » Supplied with labels



<b>Part number:</b>	<u>JBFR65</u>   <u>JBFB65</u>	<u>JBFR75</u>   <u>JBFB75</u>
<b>Dimensions (H x W x D):</b>	650 x 265 x 300 mm	750 x 310 x 320 mm
<b>Max. extinguisher Ø:</b>	180 mm	230 mm
<b>Max. extinguisher height:</b>	600 mm	710 mm
<b>Weight:</b>	3.5 kg	6.5 kg
<b>Extinguisher:</b>	6 kg / 6 l	9-12 kg / 9-12 l



# FIREKART

MOBILE FIRE EXTINGUISHER TROLLEY



## KEY FEATURES

- » Mobile fire safety solution
- » Carries two extinguishers and additional safety equipment
- » Ideal for extinguishers up to 200 mm in diameter and with a combined max. weight of 30 kg
- » Wide base with drainage slot
- » Large display area, this fire stand goes beyond storage - it serves as a platform for alarms, signage, and labels, enhancing visibility and reinforcing safety protocols
- » Metal height-adjustable clips to hold extinguishers
- » Large 200 mm diameter solid synthetic rubber wheels for easy movement
- » Handle and flat back for easy movement



**Part number:**

**WEX01-CORE**

**Dimensions (H x W x D):**

1300 x 500 x 465 mm

**Weight:**

11 kg

**Extinguishers:**

up to two 12 kg

# JFP3 & JFP4

SINGLE & DOUBLE FIRE EXTINGUISHER STANDS





## KEY FEATURES

- » Compact and space saving this stand is designed for areas with limited space while maintaining easy accessibility
- » Ideal for smaller locations i.e. offices, shops, small hospitality venues and residential buildings
- » Lightweight and portable, it is easy to move and reposition as needed
- » Sturdy support provides reliable stability for a single extinguisher
- » Dual capacity holds two extinguishers, ideal for areas requiring multiple fire safety devices (**JFP4**)
- » Stand supports various extinguisher types for comprehensive protection
- » Ideal for placement in high risk areas i.e. industrial settings, warehouses, large offices and public spaces
- » Efficient design ensures extinguishers are visible and accessible in emergencies

<b>Part number:</b>	JFP3   <u>JFP4</u>
<b>Dimensions - JFP3 (H x W x D):</b>	750 x 320 x 300 mm
<b>Weight - JFP3:</b>	2.5 kg
<b>Dimensions - JFP4 (H x W x D):</b>	750 x 620 x 300 mm
<b>Weight - JFP4:</b>	5.2 kg
<b>Max. extinguisher Ø:</b>	240 mm



# JFP7 & JFP8

SINGLE & DOUBLE ADAPTABLE FIRE EXTINGUISHER STANDS



## KEY FEATURES

- » Single-piece design with moulded deep base
- » Supports standard water, powder, foam and CO<sub>2</sub> extinguishers
- » Ideal for heavy traffic areas and industrial sites
- » Durable roto-moulded polyethylene design is highly portable
- » Angled top surface allows for addition of label information
- » Optional **JFPINSERT** will fit extinguishers up to 165 mm diameter



**Part number:**

JFP8 | JFP7

**Dimensions - JFP8 (H x W x D):**

620 x 310 x 265 mm

**Weight - JFP8:**

2.5 kg

**Dimensions - JFP7 (H x W x D):**

620 x 480 x 270 mm

**Weight - JFP7:**

3.6 kg

**Max. extinguisher Ø:**

195 / 125 mm



**INSERT:**

JFPINSERT



# JFP9 & JFP10

SINGLE & DOUBLE TWO-PIECE FIRE EXTINGUISHER STANDS



## KEY FEATURES

- » Two-piece, clip-together design with flat base
- » Supports standard water, powder, foam and CO<sub>2</sub> extinguishers
- » Lightweight unit ideal for retail, office and light commercial use
- » Durable injection moulded polypropylene design
- » Delivered flat-packed for optimal shipping
- » Slots in rear allow for straps to be fitted for additional stability
- » Optional webbing strap with ladderlock buckle for CO<sub>2</sub> extinguishers (**KIT108**),



**Part number:**

JFP9 | JFP10

**Dimensions - JFP9 (H x W x D):**

645 x 290 x 300 mm

**Weight - JFP9:**

1.8 kg

**Dimensions - JFP10 (H x W x D):**

645 x 500 x 300 mm

**Weight - JFP10:**

3 kg

**Max. extinguisher Ø:**

195 mm



**Webbing strap:**

KIT108

# YOUR FIRST CALL FOR FIRE SAFETY

Engineered in Britain. Trusted worldwide

We proudly manufacture all our products in the UK, in the safe hands of a highly skilled team, utilising modern practices that ensure the highest quality and effectiveness.

