



Spill | Fire | Storage products



Manufacturing experts

Jonesco are the trusted brand for secondary spill containment, fire and safety and storage suppliers across the globe.

Our story began in 1967 on Adelaide Street near Preston city centre in the UK. It is safe to say we have grown a bit since then.

Doing things better is why Jonesco exists. It is why we deliver the products you need, whenever and wherever you need them. Working Smarter. Not harder. Our rotationally moulded products can be found worldwide and our uncompromising commitment to quality means they are made to last.



Jonesco's headquarters are in Preston, Lancashire, UK with a subsidiary in Seclin, France. Our chain of distribution covers over 60 countries and spans every continent. We're truly global but we've not lost our family touch.



Contents

Spill containment 4

Spill trays (6) | Drum containment (8) | Drum handling (14) | IBC containment (18) | Bunds (23) | Modular ramps (24) | DIBt (26)

Fire and Safety 28

Fire boxes (30) | Hose reel boxes (36) | Fire trolley (37) | Fire stands (38) | Safety boxes (40) | Accessories (42)

Storage 44

Mobile (46) | Static (50) | Accessories (56)

Appendix 58

Palletisation (60) | Conditions of sale and delivery (68)



Spill containment

Spill trays | Drum containment | Drum handling | IBC containment | Bunds | Modular ramps | DIBt

A comprehensive range of premium quality spill containment products.

All Jonesco spill containment products offer strong durability with high impact resistance and are proven in extreme climates. They are manufactured from fully recyclable, UV resistant polyethylene, which offers a high degree of resistance to a wide range of chemicals.

For more in-depth data, visit **jonesco-plastics.com** and check out the technical documents for each individual product.







	Spill trays	Drum containment	Drum handling	IBC containment	Bunds
Fully recyclable, UV resistant polyethylene	√	✓	√	✓	✓
Available in a range of capacities	√	✓		✓	√
Nestable designs	√	✓	√	✓	√
Can be used with or without platforms	√	✓		✓	
Tested for weight and hydrostatic loads	√	√		✓	
DIBt certification ¹	✓	✓	✓	✓	√
Accessories available		✓	√	✓	

Spill trays

From worktop to workshop. Jonesco spill trays are the ultimate solution for containing spills when working with liquids or hazardous chemicals. The easy to clean spill trays can be used with or without platforms and are available in a range of capacities. Short on space? No problem, all our trays have a nestable design, saving storage space and helping to optimise handling and delivery. ST2-60 spill tray has feet for added clearance.

All spill tray bases are **black** and platforms **yellow** as standard. For DIBt certified products, please refer to pages 26-27.





ST1-10-BK-BK1



ST1-20-YE-BK



ST1-30-GR-BK1



ST1-40-YE-BK



ST1-60-B-BK




ST2-60-YE-BK





Spill trays

¹Platforms are also available in **black** and **green**, minimum order quantities may apply.



	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Platform	Nestable
ST1-10-B-BK	•	155 x 400 x 300	1	-	13	-	✓
ST1-10-YE-BK	•	155 X 400 X 300	2	50	10	✓	✓
ST1-20-B-BK	•	155 x 600 x 400	2	-	28	-	✓
ST1-20-YE-BK	•	155 X 600 X 400	3	50	20	✓	✓
ST1-30-B-BK	•	155 x 805 x 405	3	-	39	-	✓
ST1-30-YE-BK	•	133 x 803 x 403	4.5	50	30	✓	✓
ST1-40-B-BK	•	155 x 800 x 600	3.5	-	60	-	✓
ST1-40-YE-BK	•	133 x 800 x 600	6.5	100	40	✓	✓
ST1-60-B-BK	•	175 x 1000 x 600	5	-	87	-	✓
ST1-60-YE-BK	•	173 x 1000 x 000	9	200	60	✓	√
ST2-60-B-BK	•	265 x 1000 x 600	5	-	90	-	✓
ST2-60-YE-BK	•	200 x 1000 x 000	9	225	63	✓	√
ST1-100-B-BK	•	175 x 1200 x 800	6.5	-	143	-	✓
ST1-100-YE-BK	•	173 x 1200 x 600	14	210	100	✓	✓
SJ-2F-BLK	•	375 x 1200 x 800	8.2	-	235	-	✓
SJ-120-001*	•	410 x 1200 x 800	22.7	800	230	✓	✓

^{*}Central supports must be used with platform.





Spill pallets

Looking for static spill containment? Look no further! Jonesco's spill pallets are the ideal solution when working with drums containing liquids and hazardous chemicals. Made to last, our spill pallets are available in a range of sizes (1-4 drums) and capacities (230-485 litres).

All spill pallet platforms are **black** as standard. For DIBt certified products, please refer to pages 26-27.










Spill pallets

SJ-2E-BLK/COYE comes without a platform for use with a Euro-pallet (EUR1 - 1200 x 800 mm). The platform SJ-2E-PLAT may also be used (available separately).



	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Drums (205 l)	Platform	Nestable
SJ-100-050	•	600 x 1000 x 680	10.5	400	270	1	√	-
SJ-100-051	•	600 X 1000 X 680	19.5	400	230	1	•	-
SJ-100-001	•		20.5	650		2		-
SJ-100-002	•	440 x 1300 x 750	20.5	630	250	2	✓	
SJ-100-025*	•		36.5	2000		2		-
SJ-2E-BLK	•	380 x 1310 x 910	16	650	230	2	-	✓
SJ-2E-COYE	•	300 X 1310 X 910	10	030	230	2	-	✓
SJ-2E-PLAT	•	45 x 1215 x 815	8	-	-	2	✓	-
SJ-110-006	•	305 x 1460 x 1460	37	1250	249	4	✓	✓
SJ-110-007	•	303 X 1400 X 1400	37	1230	243			√
SJ-100-006	•	280 x 1380 x 1290	31	1250	250	4	√	
SJ-100-007	•	200 X 1300 X 1230	J1	1230	230			-
SJ-100-010	•	480 x 1380 x 1290	41	1250	485	4	✓	
SJ-100-011	•	-30 A 1300 A 1290		1230	1250 485		· 	-
SJ-100-060	•	270 x 2445 x 660	34	1250	235	4	✓	-
SJ-100-061	•	270 X 2443 X 000	J4	1230	255	7	•	-

^{*}Minimum order quantity applies.








Spill pallet hardcover


Clean, secure and weathertight static spill containment. The spill pallet hardcover is available in three sizes and two capacities. Entry to the hardcover is available from both sides courtesy of the sliding shutter design, which can also be padlocked (padlock not included). The easily assembled unit (fixings supplied) has ample headspace for pump equipment and funnels. SJC2 delivered assembled, SJC4 and SJC45 delivered flat-packed.












	Colour	H x W x D (mm)	A x B x C (mm)	Weight (kg)	Capacity (I)	Drums (205 I)	Includes spill pallet
SJC2-YE-BK-B-A	•	2110 x 1565 x 1095	1350 x 1240 x 750	101.5	250	2	SJ-100-001
SJC4-YE-BK-B-F	•	2110 x 1565 x 1730	1510 x 1210 x 1440	148	250	4	SJ-100-007
SJC45-YE-BK-B-F	•	2110 x 1565 x 1730	1310 x 1210 x 1440	158	485	4	SJ-100-010





Drum rack dispensing station

Drum containment on another level. The drum rack dispensing station offers both flexibility and protection from spills and drips when dispensing liquids or hazardous chemicals. Its additional stacking level allows for storage of four drums.


For DIBt certified products, please refer to pages 26-27.






SJ-200-004







	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Drums (205 l)
			DRUM RACK				
SJ-200-001	•	700 1775 040		٥٦	1000		2
SJ-200-002	•	390 x 1375 x 940	-	25	1000	-	2
			DRUM RACK BASE				
SJ-200-003	•	C75 1775 1750	7.45 1105	4.0	1000	450	2
SJ-200-004	•	635 x 1375 x 1350	345 x 1185	46	1000	450	2






Drum trolley

Ergonomic design, easy handling and manoeuvrability and a large capacity; the key attributes that make the drum trolley the ideal mobile dispensing unit. The unit has a large ribbed dispensing area, ideal for containers to sit above minor spills and a 3 litre mini sump when in a vertical position. The drum trolley comes complete with a ratchet strap, rotational swivel brake castors and a safety support for safe vertical loading.











3 litre mini sump



Other colours are available on request. Minimum order quantities may apply.

	Colour	H x W x D (mm)	A (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Drums (205 I)
SJ-400-001	•	680 x 1740 x 815	300	41	300	250	1





Workfloors


Jonesco's Workfloors are the ideal solution for storing and dispensing liquids across any given area. Available in two sizes the workfloor units and ramps can be combined and connected together with the dedicated connector kits, creating a customisable area suited to your storage and dispensing needs.

All platforms are **black** as standard. For DIBt certified products, please refer to pages 26-27.





SJ-300-002







SJ-300-010





Workfloors






	Colour	H x W x D (mm)	Ø (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Drums (205 l)				
WORKFLOORS											
SJ-300-001	•	150 1600 000		24.5	1000	100	2				
SJ-300-002	•	150 x 1600 x 800	-	24.5	1000	100	2				
SJ-300-006	•	150 x 1600 x 1600		45	2000	200	4				
SJ-300-007	•	150 X 1600 X 1600			2000	200	4				
			WORKFLOO	OR RAMP							
SJ-300-010	•	180 x 810 x 1290	-	15	500	-	-				
		wo	RKFLOOR CO	NNECTOR KIT							
WIN-A727	•	40 x 1500 x 40	-	-	-	-	-				
WIN-A728	•	40 x 700 x 40	-	-	-	-	-				
KIT102	•	5 x 150 x 125	140	-	-	-	-				







Drum stand

The drum stand's two-in-one design offers the user ultimate flexibility when deploying 60 or 205 litre drums. The stand's differential curvature accommodates either. Drum ribs fit snugly into indentations on the stand to prevent unintentional movement, with space for ratchet straps (not included) to secure drums for additional safety. The nestable design saves storage space helping to optimise handling and delivery. Optional extra: KIT52: Rubber feet for added stability.






To select a colour, replace 'XXX' with one of the following:

101: 0 102: 0

	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)	Drums (60 I /205 I)
SJ-200-XXX	• •	370 x 580 x 500	5.8	500	1








Drum funnel and tray

Pouring, made easy. The Drum Funnel is the perfect accessory for minimising spills when filling drums. Compatible with standard 205 litre drums the funnel's 250° opening lid allows for easy access and prevents rainwater and debris entering the drum. The funnel comes complete with a plastic toggle and stainless steel gross particle filter, helping to keep collected product free from contaminants.

The Drum Tray is ideal for collecting spills and reducing waste when filling drums. Its raised ribs help prevent collected spills from coming into contact with the base of the drum. Shipping and storage is made easier with its nestable design.





	Colour	H (mm)	Ø (mm)	W (mm)	Weight (kg)	Capacity (I)	Drums (205 I)	Toggle latch		
DRUM FUNNEL										
SJ-600-001	•	265	620		7.0		1	-		
SJ-600-001/P	•	265	620	-	3.8	-	ı	✓		
	DRUM TRAY									
SJ-610-001	•	190	890	960	5	86¹ / 54²	1	-		

¹To the top of the bowl. ²To the underside of the spout.





Spill pallets

Jonesco's IBC spill pallets offer efficient secondary spill containment for up to three IBCs. Many of our spill pallets can be used with or without platforms, including the SJ-525 which has an integrated 10 litre mini sump. A range of dispensers are available.

The SJ-510 has a generous surface area of 2.5 m² and along with SJ-520 has a nestable design, perfect for storage and shipping.



All spill pallet platforms are black and central supports red as standard. Central supports must be used with platforms. For DIBt certified products, please refer to pages 26-27.



SJ-500-001



SJ-525-BK-YE



SJ-510-001



SJ-500-003




SJ-520-001





Spill pallets



	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	IBCs	Platform	Nestable
SJ-500-001	•	- 1000 x 1450 x 1450	95	2000	1120	1	√	-
SJ-500-002	•	1000 x 1450 x 1450	95	2000	1120	ı	v	-
SJ-500-005	•	- 1000 x 1450 x 1450	74	2000	1120	1	_	_
SJ-500-006	•	1000 x 1430 x 1430	74	2000 1120		·	-	-
SJ-510-001	•	700 x 1680 x 1680	86	2500	1260	1	✓	✓
SJ-510-002	•	700 X 1000 X 1000		2300	1200		·	✓
SJ-525-BK-YE	•	750 x 2000 x 1490	112	2000	1120	1	√	
SJ-525-BK-BK*	•	730 X 2000 X 1430	112		1120	ľ	·	_
SJ-525-B-YE	•	750 x 2000 x 1490	91	2000	1120	1	_	
SJ-525-B-BK*	•	700 X 2000 X 1100	<u> </u>	2000				
SJ-500-003	•	- 575 x 2450 x 1450	119	2000	1130	2	√	
SJ-500-004	•	0/0 X 2 100 X 1100		per side		2	•	
SJ-520-001	•	- 575 x 2260 x 1465	116	1500	1200	2	✓	√
SJ-520-002	•	5,5 X 2200 X 1405	110	per side	1200		•	✓
SJ-545-YE	•	575 x 2300 x 1360	75	1500	1238	2	_	
SJ-545-BLK*	•	373 X 2300 X 1300	, 5	per side	1230	2		-

 $^{^{\}ast}$ These variations are made to order. Minimum order quantities may apply.







Dispensers


Dispensing just got easier with our three IBC dispenser units. The dispensers hook on to the IBC spill pallets for added functionality and as a bonus, have an overflow feature, diverting excess liquid back into the spill pallet when the unit becomes full.











	Colour	H x W x D (mm)	Weight (kg)	Capacity (I)	Compatible with
SJ-500-007	•	1065 x 640 x 590	13	100	SJ-500-001 / 002 / 005 / 006
SJ-500-008	•	665 x 640 x 590	8	100	SJ-500-003 / 004 SJ-520-001 / 002 SJ-545-YE / BLK
SJ-510-003	•	790 x 640 x 590	9	100	SJ-510-001 / 002





IBC hardcover

Clean, secure and weathertight static spill containment.

Jonesco's nestable IBC spill pallet comes complete with a rigid compartment that can be secured against the elements. The IBC hardcover features double swing doors with a three-point locking mechanism, an integrated two litre platform spill tray for small spills and integrated vents. The easily assembled unit (fixings supplied) has ample headroom to make loading easy, and for IBC mixers, pumps and funnels.








To select a spill pallet colour, replace 'XX' with one of the following:

YE: ● BK: ●



	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	IBCs	Includes spill pallet
HC1-XX-YE	• •	2265 x 1775 x 1770	221	2500	1260	1	SJ-510-001 / 002





Bunds

Under rack bund


Jonesco's under rack bunds are the must have secondary containment solution when storing liquids or hazardous chemicals on racking. Available in two widths, the bunds fit perfectly under most 220-270 cm racking systems and with the platform free design enables quick inspection and easy cleaning. Shipping and storage is made easier with its nestable design.


















Modular ramps

Accessory

Access to spill containment storage made easy with our modular ramps. The ramps are suitable for use with our drum containment spill pallets, drum hardcovers and workfloors, or simply create a working platform around an area using the blocks. Combining blocks and ramps allow for a range of heights to be reached.



UNITS


JRB1

H x W

(mm)

150 x 1000





	Colour	H x W x D (mm)	Weight (kg)	Max. load (kg)
		RAMP		
JR1	•	150 x 1000 x 750	9	250
		BLOCK		
JRB1	•	165 x 765 x 750	9	250

	REQUIRED		
	JR1	JRE	
SJ-300-001 / 002	1		
SJ-300-006 / 007	I	-	
SJ-100-060 / 061			

SJ-100-060 / 061			
SJ-100-006 / 007	- 2	1	300 x 1750
SJ-110-006 / 007	_	'	300 x 1730
SJC4-YE-BK-B-F			
SJ-100-001 / 002			
SJ-100-010 / 011	- 3	3	450 x 2500
SJC2-YE-BK-B-A	_	3	430 X 2300
SJC45-YE-BK-B-A			





DIBt

Certification

In Germany, secondary containment products require national technical approval through the **DIBt** (Deutsches Institut für Bautechnik) in Berlin.

Products are tested to standard criteria, e.g. liquid capacity (measured to underside of platform), load limits, in order to obtain an approval. They must be manufactured using approved materials and method.


Jonesco's spill containment products are approved according to DIBt requirements by a recognised testing, inspection and certification body on behalf of DIBt. Copies of approval documents (in German) are available on request or online via the DIBt website.

All product platforms and bunds are **black** as standard. Some products require the use of central

supports (*) which are a natural colour as standard.







DIBt

Certification

	Certificate	Туре	HxWxD	Application		Max. load	Approved capacity		
	number	Турс	(mm)	Oil drums	IBC	(kg)	(l)		
			DRUM SPILL PALLETS	5					
SJ-100-050/D	Z.40.22-380	A5	600 x 1000 x 680	1	-	250	225		
SJ-100-001/D	Z.40.22-380	A1	440 x 1300 x 750	2	-	500	236		
SJ-2E-BLK/D & SJ-2E-PLAT	Z.40.22-380	Α7	_ 380 x 1310 x 910	2	-	500	220		
SJ-2E-BLK/D	Z.40.22-380	A8	000 X 1010 X 010	2	-	500	220		
SJ-110-007/D	Z.40.22-380	А9	305 x 1460 x 1460	4	-	1000	220		
SJ-100-007/D	Z.40.22-380	A2	280 x 1380 x 1290	4	-	1000	242		
SJ-100-010/D	Z.40.22-380	А3	480 x 1380 x 1290	4	-	1000	450		
SJ-100-060/D	Z.40.22-380	A6	270 x 2445 x 660	4	-	1000	220		
DRUM RACK DISPENSING STATION									
SJ-200-004/D	Z.40.22-380	A4	635 x 1375 x 1350	2	-	500	450		
			WORKFLOORS						
SJ-300-003/D	Z-40.22-443	B1	150 x 1600 x 800	2	-	500	100		
SJ-300-002/D	Z-40.22-443	В3	150 x 1600 x 800	2	-	500	92		
SJ-300-007/D	Z-40.22-443	B4	150 x 1600 x 1600	4	-	1000	192		
SJ-300-014/D	Z-40.22-443	B5	150 x 1890 x 1600	4	-	1000	230		
			IBC SPILL PALLETS						
SJ-500-002/D*	Z-40.22-451	C1	1000 x 1450 x 1450	-	1	2000	1000		
SJ-500-006/D	Z-40.22-451	C2	1000 x 1450 x 1450	-	1	2000	1000		
SJ-510-002/D*	Z-40.22-451	C4	700 x 1680 x 1680	-	1	2000	1000		
SJ-500-004/D*	Z-40.22-451	C3	575 x 2450 x 1450	-	2	2000 per side	1000		
SJ-520-002/D*	Z-40.22-451	C5	575 x 2260 x 1465	-	2	1500 per side	1000		
SJ-545-BLK/D	Z-40.22-451	C6	575 x 2300 x 1360		2	1500 per side	1000		
HC1-BK-YE/D*	Z-40.22-451	C7	820 x 1775 x 1770	-	1	2000	1000		
SJ-535-BK/D	Z-40.22-451	C8	470 x 3255 x 1340	-	3	4500	1000		
			UNDER RACK BUNDS	5					
SJ-UR22-BK/D	Z-40.22-588	E1	575 x 2165 x 1300	-	-	-	1000		
SJ-UR27-BK/D	Z-40.22-588	E2	500 x 2665 x 1300	-	-	-	1000		

Fire and Safety

Fire boxes | Hose reel boxes | Fire trolley | Fire stands | Safety boxes | Accessories

A comprehensive range of storage solutions for fire extinguishers, hose reels, breathing apparatus and other safety equipment.

Highly visible, easily accessible with a range of access and loading options.

For more in-depth data, visit **jonesco-plastics.com** and check out the technical documents for each individual product.







	Fire boxes	Hose reel boxes	Fire trolley	Fire stands	Safety boxes
Fully recyclable, UV resistant polyethylene	√	✓	√	✓	√
Options for 6, 9 and 12 kg extinguishers	√		√	√	
Front and top loading boxes	√				√
Ideal for breathing apparatus, first aid kits and spillage equipment					✓
Left or right hinged mounting	\checkmark	√			√
Storage for up to two extinguishers	\checkmark		√	√	
Polycarbonate windows ¹	√	√			√
Rubber door / lid seal prevents water ingress ²	√	√			√
UTAC approved - E2 73 R - 0117228 ³ / E2 73 R - 0117229 ⁴	√				
Toggle latch, break-glass and 'T' handle ⁵ access options	√	√			✓
Optional factory fitted alarm	\checkmark	√			√

¹Excludes 68, 56, 100 series and all top loaders

²Excludes 65, 68 & 75 series

³70 series

⁴65 series

⁵'T' handle only available for 85 series

Front loaders

A range of single and double front loading fire extinguisher boxes designed for quick access in emergency situations with options for 5, 6, 9 and 12 kg extinguishers.

Fitted with automotive grade rubber seals and UV blocking moulded-in polycarbonate windows. Left or right hinged mountings.

The 68 series does not feature a hinged lid with windows, but instead has a lid that unlatches and lifts off completely.










Front loaders



Standard boxes have a **black body** and **red door**. Other combinations or colours can be assembled to order. Minimum order quantities may apply.



	Colour	Series	H x W x D (mm)	Weight (kg)	Extinguisher (kg)	Access options	Labels
JBTE68	•	68	680 x 260 x 280	3.5	6		۵٤.
JBWE70	•	70	700 x 320 x 255	4	6		ã€
JBDE72	•	72	720 x 585 x 270	8	9-12	Plastic toggles	ã€
JBDE73	•	73	730 x 435 x 290	6.5	12		ã€.
JBXE83	•	83	830 x 330 x 265	5.5	9-12		ã€.
JBDE85	•	85	850 x 565 x 375	12	12	'T' handle	St. Well 😭
JBKE90	•	90	900 x 930 x 420	21	12	Break-glass	Te. He.
JBWE95	•	95	950 x 445 x 280	9	5	Plastic toggles	₽£.

Optional factory fitted alarm: A reed switch activated 95 dB self-contained 9V alarm with a three minute reset upon activation is available for fitment to some boxes. Please ask us for details and we will be happy to advise.

Break-glass boxes

A range of single and double lockable front loading fire extinguisher boxes with key access. The plastic key is safely stored behind a protective break-glass for added security.

Fitted with automotive grade rubber seals and UV blocking moulded-in polycarbonate windows. Left or right hinged mountings.









Break-glass boxes








JBKE95

Standard boxes have a **black body** and **red door**. Other combinations or colours can be assembled to order. Minimum order quantities may apply.



	Colour	Series	H x W x D (mm)	Weight (kg)	Extinguisher (kg)	Labels
JBKE70	•	70	700 x 300 x 255	4	6	åŧ.
JBKE72	•	72	720 x 565 x 270	8	9-12	1 €
JBKE83	•	83	830 x 310 x 265	5.5	9-12	18.
JBKE85	•	85	850 x 565 x 375	12	12	Te.
JBKE90	•	90	900 x 930 x 420	21	12	St. Mt.
JBKE95	•	95	950 x 425 x 280	9	5	ãē.







Top loaders

A range of top loading fire extinguisher boxes designed for quick access in emergency situations with options for 6, 9 and 12 kg extinguishers. Ideal for mounting on vehicles and other machinery.


Waterproof seal and plastic toggle access as standard. Internal tension strap helps prevent movement.














To select a colour, replace 'X' with one of the following:

B: • R: •

	Colour	Series	H x W x D (mm)			Max. Ø (mm)	Max. H (mm)	Labels
JBFX64	• •	64	640 x 250 x 270	3	6	170	590	ie.
JBFX65	• •	65	650 x 265 x 300	3.5	6	180	600	it.
JBFX75	• •	75	750 x 310 x 320	6.5	9-12	230	710	ît.





Hose reel boxes


Front loaders

Front loading boxes suitable for storing various hose reel sizes. All hose reel boxes are fully encased apart from the 100 series which has an open back and an 'L' shaped door allowing for the hose reel to pivot through 140°.





Standard boxes have a **black body** and **red door**. Other combinations or colours can be assembled to order. Minimum order quantities may apply.



	Colour	Series	H x W x D (mm)	Weight (kg)	Open back	Toggle latch	Break- glass	T-handle	Labels
HRE56	•	56	610 x 500 x 195	5	×	✓	-	-	Ð
JBDE85	•	85	850 x 565 x 375	12	x	-	-	✓	ie. He. Di
JBKE90	•	90	900 x 930 x 420	21	×	-	✓	-	ie. He.
HRE100	•	100	1000 x 1000 x 480	21.5	✓	-	✓	-	III E





Fire extinguisher trolley

FireKart


A mobile fire stand designed to hold up to two 12 kg fire extinguishers, including CO_2 . The FireKart has a large display area suitable for alarm fitment, signage and labels. The extinguisher cradles and fixing slots can accommodate multiple extinguishers sizes (max. Ø 200 mm, hooks supplied). The base can accommodate a sand bucket as an additional option (JPFB1 / JPBL1).







	Colour	H x W x D (mm)	Weight (kg)	Alarm*	Bucket*
WEX01-CORE	•	1300 x 500 x 465	11	JSSA1 / JRHB	JPFB1 / JPBL1



^{*}Optional accessories, see page 42-43.





Fire extinguisher stands

Single and double

A range of strong and durable fire extinguisher stands ideal for keeping extinguishers off the floor and offering a clear visual marker in emergencies.

JFP7 / JFP8 Deep base designed for added stability in high traffic areas. Ideal for 6-9 kg (JFP7 and JFP8) and 2 kg CO₂ (JFP7) extinguishers.

JFP9 / JFP10 Cost saving flat packed design with an easy snap-fit assembly, adjustable strap included for CO₂ extinguishers. Suitable for flat-bottomed 6-12 kg and 2 kg CO₂ extinguishers.















Fire extinguisher stands

Single and double


JFPINSERT A stand insert to accommodate extinguishers with a maximum diameter of 165 mm.







JFPINSERT JFP7 & JFPINSERT





	Colour	H x W x D (mm)	Weight (kg)	Max. Ø (mm)	Single	Double	Optional accessory
JFP7	•	- 620 x 480 x 270	3.6	195 / 125	_	√	JFPINSERT
JFP7-MG10	•	620 x 460 x 270	3.0	193 / 123	-	•	JPPINSERI
JFP8	•	- 620 y 710 y 265	2.5	195	√	_	JFPINSERT
JFP8-MG10	•	- 620 x 310 x 265	2.3	193	v	-	JEFINSERI
JFP9	•	645 x 290 x 300	1.8	195	✓	-	-
JFP10	•	645 x 500 x 300	3	195	-	✓	-





Safety boxes

Front and top loaders

An extensive range of front and top loading safety boxes, ideal for storing breathing apparatus, chemical and spillage equipment plus much more.

The following boxes include wooden shelves; JBWA70 (2), JBDA72 (2), JBXA83 (2), JBDA85 (1) and JBKA90 (1).









Safety boxes

Front and top loaders







JBFA75

Standard front loading boxes have a **black body** and **green door**. Other combinations or colours can be assembled to order. Minimum order quantities may apply.

dle Labels

	Colour	Series	H x W x D (mm)	Weight (kg)	Toggle latch	Break- glass	T-handle	Labels	
			F	RONT LOAD	ERS				
JBWA70		70	700 x 320 x 255	4	✓	-	-	- SPILL ADR	
JBKA70	-	70	700 x 300 x 255	4	-	✓	-	SPILL ADR	
JBDA72		72	720 x 585 x 270	- 8	✓	-	-	- SPILL ADR	
JBKA72		72	720 x 565 x 270	8	-	✓	-		
JBXA83		0.7	830 x 330 x 265	5.5	✓	-	-	- SPILL ADR	
JBKA83		83		830 x 310 x 265	5.5	-	✓	-	NI NI NI
JBDA85	•	O.F.	850 x 565 x 375	12	-	-	✓		
JBKA85	•	- 85	650 X 565 X 575	12	-	✓	-	SPILL ADR	
JBKA90	•	90	900 x 930 x 420	21	-	✓	-	1€ ♣ Qt ADR	
				TOP LOADE	RS				
JBFA65	•	65	650 x 265 x 300	3.5	✓	-	-	+ □ Q ADR	
JBEA66*	•	66	660 x 300 x 435	5	✓	-	-	SPILL ADR	
JBFA75	•	75	750 x 310 x 320	6.5	✓	-	-	+ ot Adr	

^{*}Also available with anti-static strip - JBEA66T

Optional factory fitted alarm: A reed switch activated 95 dB self-contained 9V alarm with a three minute reset upon activation is available for fitment to some boxes. Please ask us for details and we will be happy to advise.

Accessories

Fire extinguisher (KIT-LAB-FIRE), hose reel (KIT-LAB-HOSEREEL), first aid (KIT-LAB-Labels

FIRSTAID), ADR (KIT-LAB-ADR), spill kit (KIT-LAB-SPILLKIT), breathing apparatus (KIT-

LAB-BA), CO₂ and foam extinguisher (KIT-LAB-FOAM-CO2). 10 labels per kit.

KIT50 Rubber strap to secure fire extinguishers, for use with front loaders.

KIT51 Buckle web strap to secure fire extinguishers, for use with front loaders.

Adjustable strap for ${\rm CO_2}$ extinguishers, for use with JFP9 and JFP10 fire stands. **KIT108**

KIT52 Rubber feet for front loading boxes.

KIT81 Break-glass kit. 2 keys, 2 clear plates, 2 fasteners and 1 fire label.

Break-glass kit. 2 keys, 2 clear plates, 2 fasteners and 1 fire label and 1 hose reel label. KIT81A

KIT91 Break-glass key. 10 pieces per kit.

KIT-TOGGLE Plastic toggle kit. 2 plastic toggles, 4 rivets and 2 lynch pins.









KIT108



KIT81




KIT81A



KIT91



KIT-TOGGLE





Accessories

JHSA1 Battery operated (9V) electronic alarm with integrated strobe for noisy environments.

Sounds at 10dB for up to 1000 m. On / off switch with indicator light. Fixing not

included.

JRHB Hand operated aluminium rotary alarm bell. Sounds at 60dB for up to 35 m. Fixings not

included.

Shelves All shelf kits come in pairs. *Screws not included.

SCBA1 Ready assembled universal bracket for self-contained breathing apparatus (SCBA).

Suitable for all single SCBA cylinders including carbon fibre models. 1075 carbon spring steel cradles with scratch resistant Nyloc and plastic coating to hold / protect the

cylinder. For use with 85 and 90 Series boxes.



JPFB1	JPBL1	JHSA1	JRHB	KITS	HELF72*	KIT57				
		Colour	H x W x D (mm)	Weight (kg)	Capacity (I)	Compatible with				
	FIRE BUCKET & LID									
	JPFB1	•	270 x 275 x 220	0.675	10	WEV01 00 DE				
H J	JPBL1	•	45 x 285 x 270	0.125	-	WEX01-CORE				
W			ALARMS							
	JHSA1	•	260 x 160 x 70	0.70	<u>-</u>	WEV01 00 DE				
	JRHB	•	250 x 245 x 135	1.7	-	WEX01-CORE				
	PLASTIC SHELVES									
SCBA1	KITSHELF72*	•	40 x 535 x 195	1	-	72 Series				
11	KITSHELF85*	•	40 x 535 x 250	1.2	-	85 Series				
			WOODEN S	SHELVES						
	KIT57	-	10 x 520 x 260	0.8	-	85 Series				
	КІТ90	-	10 x 880 x 325	1.5	-	90 Series				
7/			SCBA BR	ACKET						
	SCBA1	•	560 x 220 x 150	2	-	85 & 90 Series				

Storage

Mobile | Static | Accessories

Mobile or static. Small, medium or large. We have it all.

Jonesco's range of storage boxes present idea solution for all of your storage needs. From our smallest document holders all the way up to our 500 litre box.

For more in-depth data, visit **jonesco-plastics.com** and check out the technical documents for each individual product.








	Mobile	Static
Fully recyclable, UV resistant polyethylene	\checkmark	✓
Ideal for sand, salt, absorbents and general storage indoors and out	√	√
Solid rubber wheels	√	
Available in a range of capacities	√	√
Nestable designs		✓
Large opening for easy access	√	√
Angled lid for water run off	√	✓
Full colour logo service available ¹	√	✓

¹ Excludes JBS400, JBS500 and small storage containers.



Mobile storage

SitePoint - Mobile display and storage unit

The SitePoint is a customisable mobile display and storage unit. Available in a choice of four colours the SitePoint has a large two-sided 1060 x 580 mm display area and a 100 litre capacity storage base. Easily fix items to the backboard using self-tapping screws or bolts (not included). Manoeuvrability is made easy thanks to its easy tipping point and large wheels.


May need tethering to the ground or weighing down when used outdoors.














To select a base colour, replace 'XX' with one of the following:

	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Capacity (I)	Toggle latch	Lid
HS1P-BB1-XX	\circ \circ \circ	1725 x 755 x 595	265 x 570	26.5	100	✓	√







Mobile storage

UniKart - Mobile storage unit


Versatile, robust and durable. The UniKart is the ideal multipurpose mobile storage unit. Ergonomic handles and large rubber wheels make for easy handling and manoeuvrability. The UniKart's lid can be secured in a vertical position for convenient dispensing and loading.














To select a colour, replace 'XX' with one of the following:

YE: ● RE: ● GR: ●

	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Capacity (I)	Toggle latch
WJ75P-COXX	• • •	1070 x 590 x 435	350 x 450	11	75	✓






Sand, salt and general storage

Small, medium and large storage boxes available in different capacities ranging from 110 to 500 litres. Strong and durable, Jonesco's storage boxes are capable of withstanding harsh climates.

Logo plates, printed in full colour, are available for the following boxes; JBS110N, JBS130, JBS200 and JBS400R.





JBS110N-COYE



JBS130-COYE



JBS200-COYE



JBS400R-COYE



JBS500-COYE







Sand, salt and general storage





JBS500-COOR





To select a colour, replace ' $\boldsymbol{XX'}$ ' with one of the following:

YE: ● RE: ● OR: ●

	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Capacity (I)	Toggle latch	Nestable	Castor kit*	Padlock kit*
JBS110N-COXX	• •	625 x 650 x 550	450 x 595	7.5	110	-	✓		-
JBS130-COYE	•	750 x 850 x 500	370 x 745	13	130	-	✓	-	KIT104
JBS200-COYE		885 x 1005 x 590	430 x 875	17	200	-	✓	-	KIT104
JBS400-COYE	•	790 x 1200 x 600	410 x 1110	22.5	400	✓	-	KIT103	-
JBS400R-COYE	•	885 x 1000 x 755	420 x 880	24.5	400	-	-	KIT103	KIT104
JBS500-COXX	• •	830 x 1265 x 855	710 x 1120	22	500	-	✓	KIT103	-

^{*}Optional accessories, see page 57.





Lockable

Our market leading range of strong, durable and modern toolboxes.

Each box has a recessed lid and automotive grade rubber seals to minimise water ingress. The ergonomic flip handles allow for quick and easy access and are secured with key operated locks.

Logo plates, printed in full colour, are available for all boxes.













Lockable





	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Max. load (kg)	Capacity (I)	Fixing kit*
JBZ450	•	340 x 450 x 400	240 x 360	4.5	50	41	-
JBZ520	•	320 x 520 x 360	220 x 430	5.5	50	42	-
JBZ580	•	360 x 580 x 450	260 x 490	5.5	50	64	-
JBZ600	•	450 x 600 x 480	350 x 505	6.5	58	98	-
JBZ620	•	320 x 620 x 610	220 x 530	7	75	88	TBK620
JBZ620A	•	320 x 620 x 400	220 x 530	5	50	53	-
JBZ650	•	460 x 650 x 480	360 x 560	7.5	75	106	TBK650
JBZ700	•	480 x 700 x 490	380 x 610	8	75	132	TBK700
JBZ800	•	460 x 800 x 480	360 x 705	9	75	136	TBK800
JBZ800A	•	460 x 800 x 360	360 x 705	8.5	75	90	-
JBZ900	•	480 x 900 x 490	380 x 810	11	75	172	TBK900
JBZ1000	•	460 x 1000 x 480	360 x 905	12.5	75	167	TBK1000
JBZ1200	•	460 x 1190 x 480	360 x 1095	14	75	201	TBK1200

^{*}Optional accessories, see page 57.






Emergency response storage box


The emergency response storage box is specifically designed for rapid deployment in any given situation. Available in International Orange as standard for increased visibility on helipads and runways. The box is also fitted with a rubber seal to minimise water ingress, two plastic toggles for secure closure and two stainless steel handles for easy portability.

Full colour logo plates available.









	Colour	H x W x D (mm)	Aperture: A x B (mm)	Weight (kg)	Capacity (I)	Toggle latch
JBB80P-COOR	•	480 x 800 x 515	380 x 710	10	138	✓






Small storage containers

Safely secure your A3 or A4 documents with our square or cylindrical storage containers. The cylindrical container has a screw top lid with a rubber seal to minimise water ingress. The square container has a 180° opening lid, ideal for storing A4 folders.









To select a colour, replace 'XX' with one of the following:

RE: ● GY: ●

	Colour	H x W x D (mm)	Weight (kg)	Capacity (I)	Document size	
1005	•	- 345 x 155 x 125	0.55	3	A.7. / A.4. / LIC latter	
1005-COXX	• •	- 345 X 135 X 125	0.55	3	A3 / A4 / US letter	
1006	•	775 v 755 v 100	1	6	A 4 / LIC letter	
1006-CORE	•	- 335 x 355 x 100	ı	6	A4 / US letter	






Accessories

Shovels

Lightweight, easy to clean and non-stick. Our shovels are ideal for use with grit, sand and salt and are made from recyclable, chemical resistant polypropylene (PP).







	Colour	H x W x D (mm)	Weight (kg)	Shovel type	Fixing clip
WIN-A607	•	310 x 140 x 190	0.19	Scoop	-
J-ADR-SF03	•	965 x 245 x 315	1.1	Two-part	-
J-PELLE/BR		400/715 005 105	0.75	Talagagaig	×
J-PELLE/BR/CLIP		480/715 x 205 x 105	0.35	Telescopic	√





Accessories

Kits

KIT103 Castor kit for sand, salt and general storage boxes. Two of the rotating castors feature

swivel brakes. Castors are for self-fitment.

KIT104 Padlock kit for JBS130, JBS200 and JBS400R, screws supplied as standard, padlock not

included.

KIT-TOGGLE Spare plastic toggle kit.







Fixing kits for lockable storage

All lockable storage fixing kits include:


2 x flat angle bars and 4 x 'Z' bars.

4 x M8 x 25.

4 x M8 x 20.

8 x M8 Nyloc T nuts.

 $16 \times M8 \times 25$ washers.




	Flat angle H x W x D (mm)	Z bar H x W1 x W2 x D (mm)
TBK620	600 x 25 x 40	360 x 30 x 95 x 25
TBK650	630 x 25 x 40	500 x 30 x 95 x 25
TBK700	680 x 25 x 40	500 x 30 x 95 x 25
ТВК800	780 x 25 x 40	500 x 30 x 95 x 25
ТВК900	880 x 25 x 40	500 x 30 x 95 x 25
TBK1000	980 x 25 x 40	500 x 30 x 95 x 25
TBK1200	1170 x 25 x 40	500 x 30 x 95 x 25

Appendix

Palletisation | Conditions of sale and delivery





Appendix

Spill trays

Pallet size H x W x D (mm)	Pallet quantity
1970 x 1200 x 800	336
1990 x 1200 x 800	208
2080 x 1200 x 800	140
2060 x 1200 x 800	112* / 29
2080 x 1200 x 800	105
2050 x 1200 x 800	84
1995 x 1200 x 800	68
2015 x 1200 x 800	37
1960 x 1300 x 1100	30
1975 x 1300 x 1100	18
2030 x 1300 x 1100	60
2055 x 1300 x 1100	36
1960 x 1200 x 800	30
1980 x 1200 x 800	18
2025 x 1200 x 800	10
	H x W x D (mm) 1970 x 1200 x 800 1990 x 1200 x 800 2080 x 1200 x 800 2060 x 1200 x 800 2080 x 1200 x 800 2050 x 1200 x 800 1995 x 1200 x 800 2015 x 1200 x 800 1960 x 1300 x 1100 2030 x 1300 x 1100 2055 x 1300 x 1100 1960 x 1200 x 800 1980 x 1200 x 800

Drum spill pallets

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-100-050 / 051	1950 x 1360 x 1100	6
SJ-100-001 / 002	1955 x 1300 x 1100	5
SJ-2E-COYE / BLK + SJ-2E-PLAT	2305 x 1310 x 910	8
SJ-2E-COYE / BLK	2470 x 1310 x 910	10
SJ-2E-PLAT	2080 x 1200 x 800	20
SJ-100-006 / 007	2295 x 2100 x 1300	10
SJ-110-006 / 007	2270 x 1460 x 1460	20
SJ-100-010 / 011	2210 x 2100 x 1300	5
SJ-100-060 / 061	1790 x 2460 x 700	6

Information provided for guidance only. Actual quantities may vary depending on the type of transport and the combination of products ordered.

Appendix

Drum spill pallet hardcovers

Product	Pallet size H x W x D (mm)	Pallet quantity
SJC2-YE-BK-B-A	2110 x 1565 x 1095	1
SJC4-YE-BK-B-F	2210 x 1600 x 800	1
SJC45-YE-BK-B-F	2210 x 1600 825	1

Drum rack dispensing station

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-200-001 / 002	2040 x 1375 x 1100	5
SJ-200-003 / 004	2040 x 1375 x 1350	3

Drum trolley

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-400-001	1880 x 1360 x 815	2

Workfloors

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-300-001 / 002	1970 x 1600 x 800	12
SJ-300-006 / 007	1970 x 1600 x 1600	12
SJ-300-010	1770 x 1300 x 1100	10

Appendix

Drum stand

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-200-101 / 102	2055 x 1200 x 1000	48

Drum funnel and tray

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-600-001 / 001/P	1795 x 1300 x 1160	24
SJ-610-001	2085 x 1300 x 1100	36

IBC spill pallets

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-500-001 / 002	2000 x 1450 x 1450	2
SJ-500-005 / 006	1950 x 1450 x 1450	2
SJ-510-001 / 002	2070 x 2250 x 1680	7
SJ-525-BK-YE / BK	2250 x 2000 x 1490	3
SJ-525-B-YE / BK	2200 x 2000 x 1490	3
SJ-500-003 / 004	1725 x 2450 x 1450	4
SJ-520-001 / 002	2075 x 2260 x 1460	6
SJ-545-YE / BLK	1830 x 2100 x 1360	3

Appendix

IBC dispensers

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-500-007 / 008 / SJ-510-003	2165 x 1300 x 1180	12

IBC hardcover

Product	Pallet size H x W x D (mm)	Pallet quantity
HC1-XX-YE	(1) 1750 x 1750 x 1900 (2) 2100 x 1670 x 1500	3

N.B. This product is split across two pallets: (1): IBC hardcover assembly; (2) IBC spill pallet SJ-510-001

Under rack bunds

Product	Pallet size H x W x D (mm)	Pallet quantity
SJ-UR22-YE	1735 x 2165 x 1300	10
SJ-UR27-YE	1660 x 2750 x 1300	10

Modular ramps

Product	Pallet size H x W x D (mm)	Pallet quantity
JR1	1645 x 1200 x 800	10
JRB1	1690 x 1200 x 800	18

Palletisation (Fire & Safety)

Appendix

Front loaders, Break-glass boxes and Hose reel boxes

Product	Pallet size H x W x D (mm)	Pallet quantity
56 series	1970 x 1300 x 1100	39
68 series	1990 x 1370 x 1100	56
70 series	2030 x 1410 x 1100	48
72 series	2170 x 1300 x 1150	23
73 series	1915 x 1325 x 1100	24
83 series	2065 x 1325 x 1100	38
85 series	2045 x 1300 x 1100	12
90 series	1965 x 1300 x 1100	6
95 series	1915 x 1320 x 1100	18
100 series	2065 x 1200 x 1000	4

Top loaders

Product	Pallet size H x W x D (mm)	Pallet quantity
64 / 65 series	1990 x 1370 x 1100	56
75 series	2035 x 1300 x 1100	34

Palletisation (Fire & Safety)

Appendix

FireKart

Product	Pallet size H x W x D (mm)	Pallet quantity
WEX01-CORE	2050 x 1300 x 1100	16

Fire extinguisher stands

Product	Pallet size H x W x D (mm)	Pallet quantity
JFP7	2080 x 1300 x 1100	48
JFP8	1935 x 1300 x 1100	60
JFP9	2015 x 1300 x 1180	88
JFP10	2015 x 1300 x 1100	66

Safety boxes

Product	Pallet size H x W x D (mm)	Pallet quantity
70 series	2030 x 1410 x 1100	48
72 series	2170 x 1300 x 1150	23
83 series	2065 x 1325 x 1100	38
85 series	2045 x 1300 x 1100	14
90 series	1965 x 1300 x 1100	6
65 series	1990 x 1370 x 1100	56
75 series	2060 x 1300 x 1100	34
The state of the s	<u> </u>	·

Palletisation (Storage)

Appendix

SitePoint

Product	Pallet size H x W x D (mm)	Pallet quantity
HS1P-BB1-XX	(1) 2000 x 1200 x 800 (2) 545 x 1600 x 800	8

N.B. This product is split across two pallets

UniKart

Product	Pallet size H x W x D (mm)	Pallet quantity
WJ75P-COXX	1955 x 1300 x 1100	16

Sand, salt and general storage

Product	Pallet size H x W x D (mm)	Pallet quantity
JBS110N-COXX	1795 x 1300 x 1100	40
JBS130-COYE	2035 x 1200 x 850	8
JBS200-COYE	1930 x 1365 x 1100	6
JBS400-COYE	1750 x 1300 x 1200	4
JBS400R-COYE	2300 x 1200 x 885	3
JBS500-COXX	2365 x 1265 x 855	10

Palletisation (Storage)

Appendix

Lockable storage

Product	Pallet size H x W x D (mm)	Pallet quantity
JBZ450 / JBZ620A	1765 x 1300 x 1100	32
JBZ520	1450 x 1300 x 1100	32
JBZ580	1965 x 1300 x 1180	24
JBZ600	2100 x 1300 x 1100	16
JBZ620	1795 x 1300 x 1220	20
JBZ650	2085 x 1320 x 1100	16
JBZ700	2090 x 1300 x 1100	14
JBZ800	2085 x 1300 x 1100	12
JBZ800A	1970 x 1300 x 1100	15
JBZ900	1640 x 1300 x 1100	6
JBZ1000 / JBZ1200	2085 x 1300 x 1100	8

Emergency response storage box

Product	Pallet size H x W x D (mm)	Pallet quantity
JBB80P-COOR	2090 x 1300 x 1100	12

Small storage containers

Product	H x W x D (mm)	Pallet quantity
1005	2005 x 1410 x 1100	384
1006	2130 x 1480 x 1100	135

Conditions of sale and delivery

Appendix

The Customer's attention is drawn in particular to the provisions of clause 13.

1. GENERAL

- a. These conditions shall be deemed to be incorporated as conditions in any order or contract accepted by Jonesco (Preston) Ltd (hereinafter referred to as 'Jonesco', 'Us' and 'We') to the exclusion of any other terms that you, the Customer (also referred herein after as 'You') seek to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.
- b. The Customer is responsible for ensuring the Goods ordered are suitable for the purpose for which they were required.
- c. The contract constitutes the entire agreement between the parties.
- d. No agent or stockist or other third party and no employee of ours other than a director of Jonesco selling our Goods is authorised to transact any business which gives any warranty, makes any promise or any representation or incurs any liability on our behalf.
- e. We reserve the right to alter our product designs or construction details without notice.
- f. When these conditions or any other conditions which any other party may seek to incorporate into any contract conflict, these conditions shall prevail.
- g. Any notice required to be served pursuant to these conditions shall be served as follows:
 - To the Seller To Jonesco (Preston) Ltd. Pitman Way, Fulwood, Preston, Lancashire, United Kingdom, PR2 9ZD.
 - ii. To the Customer to such address as the Customer may notify to us or in default of notification to the address from which the goods an/or services are or were ordered or if the Customer are a company, at our option to the Customer's registered office.
 - A properly addressed notice sent by first-class post to destinations in the United Kingdom or the Republic of Ireland shall be deemed to have been received three days after the date of its despatch. A Notice sent by registered airmail to any other destination shall be deemed to have been received seven days after the date of its despatch.
- h. The provisions of clause 1(g) shall not apply to the service of any proceedings or other documents in any legal action.

2. TERMS OF PAYMENT

- a. United Kingdom and Eire: Payment by last working day of the month following the date of invoice. Time of payment is of the essence. Pending the opening of a credit account all Goods must be paid for in advance.
- b. Other Overseas: The method of payment shall be determined prior to or at the time of confirmation of the order. Any bank charges on export bills are payable by the Customer.
- c. If the Customer fails to make any payment due to Us under the Contract by the due date for payment (due date) then the Customer shall pay interest at the rate of 2% per month on extended terms of payment and overdue accounts. Such interest shall accrue on a monthly basis from the due date until the date of actual payment of the overdue amount, whether before or after judgment. the Customer shall pay the interest together with the overdue amount.
- d. The Customer shall on demand indemnify Us against all costs and expenses (including legal and other reasonable professional costs and expenses) suffered or incurred by Us in connection with the recovery of an outstanding debt in breach of clause 2(a) or 2(b) as applicable. This clause 2(d) shall survive termination of the Contract.
- e. When the account of a Customer becomes overdue, We may at our discretion withhold or suspend performance of any contractual obligation to you.
- f. The Customer shall pay all amounts due under the Contract in full without any deduction or withholding except as required by law and the Customer shall not be entitled to assert any credit, set-off or counterclaim against Us in order to justify withholding payment of any such amount in whole or in part. We may at any time, without limiting any other rights or remedies We may have, set off any amount owing to Us by the Customer against any amount payable by Us to the Customer.

3. TITLE

a. Property in the Goods shall remain with Us until the Customer has paid to Us the price of all Goods supplied under the Contract for the supply of the Goods and all other sums owing at any time by the Customer to Jonesco on any ground whatsoever (including, without prejudice to the generality of the

foregoing, all sums owing by the Customer to Jonesco at any time in respect of any supply of Goods under any other contract).

- b. The Customer undertake that until title has passed to the Customer, in the event that it buys from a party other than Jonesco supplies of goods that are or were manufactured by or sold by Jonesco (or are similar to such goods) with the intention of retaining such goods as stock the Customer will clearly mark each of those goods in the said supply in order to distinguish each of those goods from Goods sold by Jonesco to You.
- c. Until title to the Goods has passed to the Customer, the Customer shall:
 - i. hold the Goods on a fiduciary basis as our bailee;
 - ii. not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
 - iii. maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
 - iv. give Jonesco such information relating to the Goods as We may require from time to time,
 - v. notify Jonesco immediately if the Customer becomes subject to any of the events listed in clause 16(b),
- d. Subject always to and without prejudice to clause 3(c) above, You are entitled to sell the Goods to a purchaser or purchasers by way of bona fide sale in the ordinary course of business at any time that (and insofar as) Jonesco shall permit and provided always that your entitlement shall cease immediately and without notice on the occurrence of any one or more of the events specified in clause 16(b).
- e. If before title to the Goods passes to the Customer, the Customer becomes subject to any of the events listed in clause 16(b), or We reasonably believe that any such event is about to happen and notify the Customer accordingly, then, provided that the Goods have not been resold, or irrevocably incorporated into another product, and without limiting any other right or remedy:
 - i. We may at any time require the Customer to deliver up the Goods, and if the Customer fails to do so promptly, the Customer irrevocably grants Jonesco a licence to enter (by Jonesco itself, its servants or agents and with or without vehicle) without notice upon lands or premises owned, used or occupied by You for the purpose of taking possession of Goods the property of Jonesco; and
 - ii. agree to render without charge all assistance as Jonesco may request to Jonesco and to our servants or agents for the purpose of Jonesco's identifying and taking possession of Goods the property of Jonesco.
- f. In the event that You sell the Goods to a purchaser or purchasers in accordance with clause 3(e), You sell as principal in relation to the purchaser or purchasers and have no right to commit Jonesco to any contractual relationship with or liability to the purchaser or purchasers or any third party.
- g. The Customer undertakes that in the event that You sell any Goods supplied by Jonesco You will sell those Goods (of the type required for the particular sale) as have at the material time been longest in your possession.

4. PRICES

- a. All prices are subject to alteration without notice. If during the currency of any contract there is an increase in the cost of labour and/or material required in connection with or the purpose of such contract over the cost of such labour and/or materials prevailing at the date of acceptance such nett increase of cost shall be added to the contract price and be payable by the Customer.
- b. All prices are subject to the addition of VAT when appropriate, the Customer shall, on receipt of a valid VAT invoice, pay such additional amounts in respect of VAT as are chargeable on the supply of the Goods.
- c. Special orders placed with Jonesco may be subject to variances from the normal list price. Quotations of price will be given at the time of order placement and will be deemed to be binding solely for that particular Special Order.

5. CARRIAGE

- a. UK Mainland: The method of carriage shall be determined by Us and carriage charges will be payable by the Customer in addition to the price of Goods:
 - i. we will use our reasonable endeavours to notify the Customer of the carriage charges prior to delivery of the Goods:
 - ii. if the Customer requests a particular method or time of delivery or other particular arrangements for delivery of the Goods the Customer will be reimburse Jonesco for any additional costs incurred in delivery of the Goods.
- b. UK non-mainland and Eire: carriage charges will be advised to the Customer prior to Jonesco's acceptance of the Customer's order.
- c. Where practical, and under our discretion, We will deliver Goods on our own vehicles. All such deliveries will be free of charge if over £50 if part of a planned delivery run. Due to their bulk environmental products do not qualify for this service.

6. PACKING

- a. United Kingdom: any stillages or custom packaging remain our property at all times and will be charged for if not returned in good condition within one month from the date of delivery.
- b. Overseas: Export packing will be charged extra. Cases are non-returnable.

7. RISK, DAMAGE, LOSS AND NON-DELIVERY

- a. Risk in the Goods will pass to the Customer upon:
 - i. Delivery of the Goods to the Customer's premises or to a third party address as instructed by the Customer in respect of a sale to a UK or Eire based customer; and
 - ii. Delivery f.o.b. UK Port in respect of any sale to an overseas based customer (unless otherwise agreed between the parties in writing)
- b. The Customer must inform Us within three (3) days of the date of passage of risk pursuant the clause 8(a) below (or the date of advised delivery in the case of non-deliveries) if a claim for damage, loss in transit, or non-delivery of any of the Goods is to be made and must follow up such notification with a written confirmation within 7 days. In respect of the Customer's obligation here under, time shall be of the essence. NO CLAIMS WILL BE CONSIDERED AND NO LIABILITY ACCEPTED BY US UNLESS NOTIFICATION IS RECEIVED WITHIN THE TIME SPECIFIED.

8. RETURNED GOODS

- a. All Goods correctly supplied in accordance with Customer's order but which are subsequently returned will only be credited provided that:
 - i. Our prior written consent has been obtained. We reserve the absolute right to decline to accept returns.
 - ii. The Goods are listed in the current price list, are of current design, and in resaleable condition including packaging.
 - iii. The Goods must be accompanied by a packing note stating the reason for return, the advice note/invoice number against which the Goods were supplied and the returns authority number as provided by the Despatch Department of Jonesco. A Jonesco returns label should also be attached to the Goods.
 - iv. The cost of the outward carriage is paid by the Customer, and a handling charge will be payable by the Customer when the Goods are exchanged. The value of the handling charge will be at Our discretion and will be quoted as a percentage of the nett invoice value of the goods returned.

Goods supplied correct to customer specification on Special Orders placed with Jonesco are not accepted for return.

9. DESCRIPTION

- a. Whilst every endeavour has been made to ensure that the Goods are accurately described and believed to be fit for the purpose as mentioned in our catalogues, wall charts etc, no warranty or representation to this effect is given, and no responsibility will be accepted in the event of any error or misdescription or any such unfitness, or any damage relating there from.
- b. Photographs, illustrations, advertising matter and technical brochures generally represent the goods offered but are not binding in detail.
- c. We reserve the absolute right to make detailed alterations to the materials and specifications.
- d. Weights, dimensions, electrical power, water and compressed air and other supplies data, are estimated and deviations shall not be a ground for claim against Us.

10. DELIVERY OR ORDERS BY SCHEDULE

- a. Orders on which deliveries are to be made at a scheduled rate are accepted on the following conditions:
 - i. no delay of delivery can be taken as agreed unless You have received Our prior written consent.
 - ii. delay of any delivery beyond two months from the date originally agreed will not be accepted.
 - iii. at least 14 days notice must be given of any intention to delay deliveries.
 - iv. where We agree to a delay of delivery at a Customer's request We reserve the right to adjust the prices, if We find this necessary, and to make a charge for any extra costs incurred because of the delay.
 - v. each delivery shall constitute a separate transaction.
 - vi. quantities delivered in each time period in the schedule will be subject to a tolerance agreed in advance between Jonesco and the Customer.

11. DELIVERY QUOTATION

- a. Any date quoted for despatch is subject to stock remaining unsold upon receipt of the Customer's written order to proceed together with all necessary information and documents.
- b. Whilst every effort will be made to estimate delivery dates accurately they are not to be construed as forming part of the terms of the contract and time of delivery is not of the essence.
- c. Should We be delayed in or prevented from delivering the whole or any part of the Goods ordered by reason of any Force Majeure Event or the Customer's failure to provide Us with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods then:
 - i. the Customer shall not be entitled to refuse to accept the Goods because of delay in delivery;
 - ii. we shall not be liable to the Customer for failure to despatch or deliver such Goods, and
 - iii. the date of delivery shall be extended until the operation of the cause or causes preventing delivery has ceased.

PROVIDED THAT in the event of such delay continuing for an unbroken period of 60 days We shall have the right by notice in writing to terminate the contract or contracts in question to the extent that they shall not have already been performed.

12. WARRANTIES

- a. Subject to the conditions set out below We warrant that the Goods will:
 - i. correspond with their specification at the time of delivery; and
 - ii. be free from defects in material and workmanship for a period of 12 months from the date of delivery.
- b. The above warranty is given subject to the following conditions:
 - i. we shall be under no liability in respect of any defect in the Goods arising from any drawing, design or specification supplied by You as the Customer;
 - we shall be under no liability in respect of any defect arising from fair, wear and tear, wilful damage, negligence, abnormal working conditions, failure to follow our instructions (whether oral or in writing), carelessness on the part of the user, misuse or alteration or repair of the Goods without our approval;
 - iii. we shall be under no liability under the above warranty (or any other warranty condition or guarantee) if the total price for the Goods has not been paid by the due date for payment;
 - iv. the above warranty does not extend to parts, materials or equipment not manufactured by Us in respect of which You the Customer shall only be entitled to the benefit of any such warranty or guarantee as is given by the manufacturer to Us;
- c. Subject as expressly provided in these conditions, and except where the Goods are sold to a person dealing as a consumer (within the meaning of the Unfair Contract Terms Act 1977), all warranties, conditions or other terms implied by statute or common law as to quality, fitness, compliance with description or sample of the whole or part of the Goods, or any replacement thereof, or as to the quality of any work or repair or replacement or otherwise, are excluded to the fullest extent permitted by law.
- d. Any claim by You as a Customer which is based on a breach of clause 12(a) shall (whether or not delivery is refused by You) be notified to Us in writing within 7 days from the date delivery or (where the defect or failure was not apparent on reasonable inspection) within a reasonable time after discovery of the defect or failure. If delivery is not refused, and You do not notify Us accordingly, You shall not be entitled to reject all or part of the Goods and We shall have no liability for such defect or failure, and You shall be bound to pay the price as if the Goods had been delivered in accordance with the contract,
 - Where the Goods are delivered to premises outside of the United Kingdom the period of 7 days in this clause 12(d) shall be extended to 28 days;
- e. Where any valid claim in respect of any of the Goods which is based on any breach of clause 12(a) is notified to Us in accordance with these conditions, We shall at our absolute discretion be entitled to replace the Goods (or the part in question) free of charge or, refund to You the price paid for the Goods (or a proportion as part of the price paid), but We shall have no further liability to You;

13. LIMITATION OF LIABILITY

- a. Nothing in these Conditions shall limit or exclude Jonesco's liability for:
 - death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);
 - ii. fraud or fraudulent misrepresentation;
 - iii. breach of the terms implied by section 12 of the Sale of Goods Act 1979:
 - iv. defective products under the Consumer Protection Act 1987; or
 - v. any matter in respect of which it would be unlawful for Us, to exclude or restrict liability.
- b. Subject to clause 13(a) Jonesco shall not be liable to You whether in contract, tort (including negligence)

breach of statutory duty or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract, and which arise out of or in connection with the supply of the Goods or their use or resale by You, and Jonesco's total liability to the Customer in respect of all other losses arising under or in connection with the contract, whether in contract, tort (including negligence), breach of statutory duty or otherwise, shall not exceed the price paid of the Goods, except as expressly provided in these conditions;

14. SEVERANCE

- a. If any of the provisions (or part of any provision) of this contract are held to be invalid, illegal or unenforceable for any reason then the provision or part provision shall to the extent required, be read as if the invalid provisions had to that extent been deleted and the validity and enforceability of the remaining provisions of this contract shall not be affected thereby.
- b. If any invalid, unenforceable or illegal provision of the contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.

15. FORCE MAJEURE

We shall not be liable for any failure or delay in performing our obligations under the extent that such failure or delay is caused by a Force Majeure Event.

A Force Majeure Event means any event beyond our reasonable control, which by its nature could not have been foreseen or if it could have been foreseen, was unavoidable, including strike, lock-out, stoppage of work, or other industrial disputes (whether involving our own workforce or a third party's), failure of energy sources or transports network, riot, war, terrorism, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, acts of God including, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors, or defective materials.

16. TERMINATION

- a. If the Customer become subject to any of the events listed in clause 16(b), or We reasonably believe that You are about to become subject to any of them and notify You accordingly, then, without limiting any other right or remedy available to Jonesco, We may cancel or suspend all further deliveries under the Contract or under any other contract between the Customer and Jonesco without incurring any liability to the Customer, and all outstanding sums in respect of Goods delivered to the Customer shall become immediately due.
- b. For the purposes of clause 16(a), the relevant events are:
 - i. (being a company) an application is made to court, an order is made, for the appointment of an administrative receiver You over all or part of your assets or undertaking;
 - ii. (being a company) a person becomes entitled to appoint a receiver over your or a receiver is appointed over your assets;
 - iii. a creditor or encumbrancer of your's attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of your assets and such attachment or process is not discharged within 14 days
 - iv. You suspend or threaten to suspend payment of your debts or are unable to pay or admit or state your inability to pay your debts as they fall due; or (being a company) is deemed unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986, or (being an individual) is deemed either unable to pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 268 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply
 - v. You dispose or threaten to dispose of all or a material part of your assets whether by one or a series of transactions (Other than for the sole purpose of and followed by your reconstruction or amalgamation, approved by Jonesco);
 - vi. You commence negotiations with all or any class of your creditors with a view to rescheduling any of your debts, the Customer or make a proposal for or enter into any compromise, arrangement, voluntary arrangement or composition with your creditors;
 - vii. your directors make or state an intention to make or give notice of a proposal in relation to You for a voluntary arrangement under Part I of the Insolvency Act 1986;
 - viii. (being a company) a petition is filed, a notice is given, or any order is made, for or in connection with your winding-up or administration:
 - ix. (being a company) a resolution (other than for the sole purpose of and followed by your reconstruction or amalgamation, approved by Jonesco) is passed for your voluntary winding-up;
 - x. the Customer are dissolved:
 - xi. (being an individual) the Customer are the subject of a bankruptcy petition or order;

- xii. the Customer suffer the levy or enforcement of any execution, distress, sequestration, detention or other process on the whole or part of any property or premises or other assets;
- xiii. (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer;
- xiv. (being a company) a floating charge holder over your assets has become entitled to appoint or has appointed an administrative receiver;
- xv. any event occurs, or proceedings are taken, with respect to the Customer in any jurisdiction to which the Customer are subject that has an effect equivalent or similar to any of the events mentioned in clause 16(b)(i) to 16(b)(xv) (inclusive);
- xvi. the Customer suspend, threaten to suspend, You cease or threaten to cease to carry on all or substantially the whole of your business trade;
 - your financial position deteriorates to such an extent that in our opinion your capability to adequately fulfil its obligations under the Contract has been placed in jeopardy; and
- xvii.(being an individual) the Customer die or, by reason of illness or incapacity (whether mental or physical), are incapable of managing your own affairs or becomes a patient under any mental health legislation.
- c. Termination of the Contract, however arising, shall not affect any of the parties' rights and remedies that have accrued as at termination. Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

17. ASSIGNMENT AND SUBCONTRACTING.

- a. We may at any time assign, transfer, charge, subcontract or deal in any other manner with all or any of our rights or obligations under the Contract.
- b. the Customer may not assign, transfer, charge, subcontract or deal in any other manner with all or any of your rights or obligations under the Contract without our prior written consent.

18. WAIVER

A waiver of any right or remedy under the contract is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it preclude or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.

19. THIRD PARTY RIGHTS.

A person who is not a party to the Contract shall not have any rights under or in connection with it.

20. JURISDICTION

This contract and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non contractual disputes and claims) is governed by and construed in all respect by English Law and the Customer submits to the exclusive jurisdiction of the English Courts.

21. CUSTOMER CONDITIONS OF PURCHASE

In all instances Jonesco's Conditions of Sale stated herein override any separate Terms and Conditions of Purchase stated by Jonesco's customers.

22. VARIANCES TO STANDARD CONDITIONS OF SALE

We reserve the right to vary Jonesco's standard Conditions of Sale as stated herein. Any variation will be notified in writing to individual customers effected by these variances and will only apply in respect of goods purchased following such notification.

23. JONESCO CATALOGUES

Jonesco. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means electronic, mechanical, photographic, recording or otherwise without the prior written permission of the publisher Jonesco (Preston) Ltd.

Lend us half an hour of your time and we'll give you 50 years of ours.

+44 (0) 1772 706888

jonesco-plastics.com

sales@jonesco-plastics.com













+44 (0) 1772 706888

jonesco-plastics.com

sales@ionesco-plastics.com







